

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	download\$4 near10 code\$4 near10 chassis and 709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:51
S2	0	download\$4 near10 code\$4 near10 chassis and 709/220-222. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:52
S3	0	download\$4 near10 software near10 chassis and 709/220-222. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:52
S4	296	download\$4 near10 software and 709/220-222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:53
S5	8	download\$4 near10 software near10 modem\$4 and 709/220-222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:56
S6	2	download\$4 near10 software near10 queue\$4 and 709/220-222. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:57
S7	4	download\$4 near10 software same queue\$4 and 709/220-222. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:57
S8	2	upgrad\$4 near10 software same queue\$4 and 709/220-222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:59
S9	55	upgrad\$4 near10 software same remote\$4 and 709/220-222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:59

S10	11	upgrad\$4 near10 software same remote\$4 and 709/220-222.ccls. and queu\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:02
S11	50	(transfer\$4 send\$4 download\$4) near10 (driver\$4 code\$1 software) same remote\$4 and 709/220-222.ccls. and queu\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:03
S12	34	(transfer\$4 send\$4 download\$4) near10 (driver\$4 code\$1 software) same remote\$4 and 709/220-222.ccls. and queu\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:05
S13	5	(upgrad\$4) near10 (driver\$4 code\$1 software) same remote\$4 and 709/220-222.ccls. and queu\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:05
S14	25	(upgrad\$4) near10 (driver\$4 code\$1 software) and 709/220-222.ccls. and queu\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:05
S15	124	(transfer\$4 send\$4 download\$4 upgrad\$6) near10 (driver\$4 code\$1 software) and 709/220-222.ccls. and queu\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:06
S16	2059	(download\$4 upgrad\$6) near10 (driver\$4 code\$1 software) and queu\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:06
S17	637	(download\$4 upgrad\$6) near10 (driver\$4 code\$1 software) and queu\$6 and ("710"/\$.ccls. "709"/\$.ccls.) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:06
S18	44	(download\$4 upgrad\$6) near10 (driver\$4 code\$1 software) and queu\$6 and chassis\$4 and ("710"/\$.ccls. "709"/\$.ccls.) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:07
S19	16	(upgrad\$6) near10 (driver\$4 code\$1 software) and queu\$6 and chassis\$4 and ("710"/\$.ccls. "709"/\$.ccls.) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:09

S20	0	(upgrad\$6) near10 queu\$6 and chassis\$4 and ("710"/\$.ccls. "709"/220-226.ccls.) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:09
S21	52	manag\$4 near10 software near10 queu\$4 and upgrad\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:10
S22	38	manag\$4 near10 software near10 queu\$4 and upgrad\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S23	0	(load\$4 manag\$4) near10 (code\$1 software) near10 queu\$4 same upgrad\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S24	106	(load\$4 manag\$4) near10 (code\$1 software) near10 queu\$4 and upgrad\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S25	13	(load\$4 manag\$4) near10 (code\$1 software) near10 queu\$4 and upgrad\$6 and @ad<"20001010" and 709/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:20
S26	132	(load\$4 manag\$4) near10 (code\$1 software) and queu\$4 and upgrad\$6 and @ad<"20001010" and 709/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:20
S27	17	(load\$4 manag\$4) near10 (code\$1 software) same upgrad\$4 and queu\$4 and @ad<"20001010" and 709/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:23
S28	1	dial\$4 near10 platform\$4 near10 config\$7 and 709/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:23
S29	22	dial\$4 near10 platform\$4 near10 config\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:24

S30	3	chassis\$6 near10 card\$4 near10 modem\$4 and 709/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:25
S31	0	chassis\$6 near10 card\$4 near10 (load\$4 upgrad\$4) near10 (code\$1 software\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:26
S32	7	chassis\$6 near10 card\$4 same (load\$4 upgrad\$4) near10 (code\$1 software\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:27
S33	1	chassis\$6 near10 card\$4 and 709/220-226.ccls. and 717/168-178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:28
S34	242	709/220-226.ccls. and 717/168-178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:28
S35	110	709/220-226.ccls. and 717/168-178.ccls. and upgrad\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:30
S36	110	709/220-226.ccls. and 717/168-178.ccls. and upgrad\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:30
S37	72	709/220-226.ccls. and 717/168-178.ccls. and upgrad\$6 near10 software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:34
S38	3	709/220-226.ccls. and 717/168-178.ccls. and upgrad\$6 near10 router\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:33
S39	0	709/220-226.ccls. and 717/168-178.ccls. and upgrad\$6 near10 chassis\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:33

S40	3	709/220-226.ccls. and upgrad\$6 near10 chassis\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:33
S41	36	709/220-226.ccls. and 717/168-178.ccls. and queu\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:36
S42	2	709/220-226.ccls. and upgrad\$4 near10 queu\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:37
S43	43	709/220-226.ccls. and download\$4 near10 queu\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:37
S44	11	709/220-226.ccls. and instal\$6 near10 (code software\$1) near10 network\$4 near10 router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:38
S45	1268	709/220-226.ccls. and upgrad\$4near10 (code software\$1) near10 network\$4 near10 router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:51
S46	4	709/220-226.ccls. and upgrad\$4 near10 (code software\$1) near10 network\$4 near10 router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:53
S47	2	709/220-226.ccls. and upgrad\$4 near10 (code software\$1) near10 chassis\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:53
S48	12	709/220-226.ccls. and upgrad\$4 near10 (code software\$1) near10 card\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:56
S49	225	\upgrad\$4 near10 (code software\$1) near10 card\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:56

S50	225	upgrad\$4 near10 (code software\$1) near10 card\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:56
S51	22	upgrad\$4 near10 (code software\$1) near10 chassis\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:56
S52	57	(load\$4 download\$4) near10 (OS operat\$4 near5 system\$1 firmware\$1 software\$1 bios\$4) near10 chassis\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:58
S53	6	(load\$4 download\$4) near10 (OS operat\$4 near5 system\$1 firmware\$1 software\$1 bios\$4) near10 chassis\$4 and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:59
S54	428	(load\$4 download\$4) near10 (OS operat\$4 near5 system\$1 firmware\$1 software\$1 bios\$4) near10 remote\$6 and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:00
S55	239	(load\$4 download\$4) near10 (OS operat\$4 near5 system\$1 firmware\$1 software\$1 bios\$4) near10 remote\$6 and "709"/220-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:01
S56	21	(load\$4 download\$4) near10 (OS operat\$4 near5 system\$1 firmware\$1 software\$1 bios\$4) near10 remote\$6 and chassis and "709"/220-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:03
S57	117	709/220-226.ccls. and manag\$4 near10 network\$4 same upgrad\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:04
S58	58	709/220-226.ccls. and manag\$4 near10 network\$4 same upgrad\$5 near10 (firmware\$1 software\$1 code\$1 operat\$4 near5 system\$1 OS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:04
S59	31	709/220-226.ccls. and manag\$4 near10 network\$4 same upgrad\$5 near10 (firmware\$1 software\$1 code\$1 operat\$4 near5 system\$1 OS) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:16

S60	369	709/220-226.ccls. and manag\$4 near10 network\$4 near10 software\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:16
S61	20	709/220-226.ccls. and manag\$4 near10 network\$4 near10 (upgrad\$4 updat\$4) near10 software\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:18
S62	1	709/220-226.ccls. and manag\$4 near10 (switch\$4 gateway\$4 platform\$4 router\$4) near10 (upgrad\$4 updat\$4) near10 software\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:18
S63	9	manag\$4 near10 (switch\$4 gateway\$4 platform\$4 router\$4) near10 (upgrad\$4 updat\$4) near10 software\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:21
S64	10	monitor\$4 near10 (switch\$4 gateway\$4 platform\$4 router\$4) near10 (upgrad\$4 updat\$4) near10 software\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:42
S65	1	"6078647".PN.	USPAT; USOCR	OR	OFF	2005/03/07 12:37
S66	1	"5710899".PN.	USPAT; USOCR	OR	OFF	2005/03/07 12:37
S67	38	709/220-229.ccls. and (switch\$4 gateway\$4 platform\$4 router\$4) near10 (upgrad\$4 updat\$4) near10 software\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:50
S68	268	709/220-229.ccls. and 717/120-122,168-178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:50
S69	55	709/220-229.ccls. and 717/120-122,168-178.ccls. and (updat\$4 upgrad\$4 monitor\$4 manag\$4) near10 (gateway\$4 router\$4 switch\$4 platform\$4 site\$1 chassis\$4) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:05

S70	28	709/220-229.ccls. and 717/120-122,168-178.ccls. and (updat\$4 upgrad\$4 monitor\$4 manag\$4) near10 (gateway\$4 router\$4 switch\$4 platform\$4 chassis\$4) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:56
S71	5	709/220-229.ccls. and 717/120-122,168-178.ccls. and (updat\$4 upgrad\$4 monitor\$4 manag\$4) near10 (gateway\$4 router\$4 switch\$4 platform\$4 chassis\$4) and @ad<"20001010" and queu\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:58
S72	2	709/220-229.ccls. and 717/120-122,168-178.ccls. and (updat\$4 upgrad\$4) near10 queu\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:59
S73	4	709/220-229.ccls. and 717/120-122,168-178.ccls. and (updat\$4 upgrad\$4) same queu\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:00
S74	17	717/120-122,168-178.ccls. and (updat\$4 upgrad\$4) same queu\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:02
S75	0	717/120-122,168-178.ccls. and (updat\$4 upgrad\$4) and push\$4 near10 queu\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:02
S76	2	717/120-122,168-178.ccls. and (updat\$4 upgrad\$4) and push\$4 near10 queu\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:03
S77	30	717/120-122,168-178.ccls. and (updat\$4 upgrad\$4) near10 push\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:03
S78	514	709/220-229.ccls. and (updat\$4 upgrad\$4 monitor\$4 manag\$4) near10 (gateway\$4 router\$4 switch\$4 platform\$4 site\$1 chassis\$4) and @ad<"20001010" and queu\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:05

S79	171	709/220-229.ccls. and (updat\$4 upgrad\$4) near10 (gateway\$4 router\$4 switch\$4 platform\$4 site\$1 chassis\$4) and @ad<"20001010" and queu\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:16
S80	96	709/220-229.ccls. and (updat\$4 upgrad\$4) near10 (gateway\$4 router\$4 switch\$4 chassis\$4) and @ad<"20001010" and queu\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:48
S81	10	709/220-229.ccls. and (updat\$4 upgrad\$4) near10 (gateway\$4 router\$4 switch\$4 chassis\$4) and @ad<"20001010" and queu\$4 near10 push\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:53
S82	102	709/220-229.ccls. and (updat\$4 upgrad\$4 manag\$4) near10 (software\$4 firmware\$1 operat\$4 near5 system\$1 OS\$2) near10 (gateway\$4 router\$4 switch\$4 chassis\$4) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:54
S83	40	709/220-229.ccls. and (updat\$4 upgrad\$4) near10 (software\$4 firmware\$1 operat\$4 near5 system\$1 OS\$2) near10 (gateway\$4 router\$4 switch\$4 chassis\$4) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:14
S84	29	709/220-229.ccls. and (updat\$4 upgrad\$4) near10 (software\$4 firmware\$1 operat\$4 near5 system\$1 OS\$2) near10 (router\$4 switch\$4 chassis\$4) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:15
S85	582159	Cisco Router Software Loader	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:15
S86	1	"Cisco Router Software Loader"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:16

S87	97	("5826103" "6373838" "5501608" "6351819" "5748912" "6003100" "5235586" "6237047" "6393569" "6427176" "5570270" "5940288" "6611853" "5192999" "5283819" "5423697" "5505633" "5227957" "5526217" "5781414" "5796963" "5574888" "6172702" "3707705" "5351019" "5881142" "4556953" RE33705 "5335329" "5594627" "5734860" "5854736" "5949059" "6056601" "6098133" "6109934" "6128185" "6282599" "6351786" "6249527" "5734551" "6166917" "6289405" "5790890" "6763018" "6073188" "5332889" "5378884" "5614707" "6151213").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:24
S88	0	("5826103" "6373838" "5501608" "6351819" "5748912" "6003100" "5235586" "6237047" "6393569" "6427176" "5570270" "5940288" "6611853" "5192999" "5283819" "5423697" "5505633" "5227957" "5526217" "5781414" "5796963" "5574888" "6172702" "3707705" "5351019" "5881142" "4556953" RE33705 "5335329" "5594627" "5734860" "5854736" "5949059" "6056601" "6098133" "6109934" "6128185" "6282599" "6351786" "6249527" "5734551" "6166917" "6289405" "5790890" "6763018" "6073188" "5332889" "5378884" "5614707" "6151213").pn. and (updat\$4 upgrad\$4) near10 (software\$1) near10 (switch\$4 router\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:24
S89	961	(upgrad\$4 near10 software).ab.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:26
S90	961	(upgrad\$4 near10 software).ab.ti. and (709/220-229 "717"/\$).ccls. and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:26
S91	961	(upgrad\$4 near10 software).ab.ti. and (709/220-229.ccls. 717/120-122.ccls.) and @ad<"20001010" and (router\$1 gateway\$1 switch\$4 chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:28

S92	961	(upgrad\$4 near10 software).ab.ti. and (709/220-229.ccls. 717/120-122.ccls.) and (router\$1 gateway\$1 switch\$4 chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:28
S93	961	(upgrad\$4 near10 software).ab.ti. and (709/220-229.ccls. 717/120-122.ccls.) and (router\$1 gateway\$1 switch\$4 chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:28
S94	961	(upgrad\$4 near10 software).ab.ti. not upgrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:28
S95	961	(upgrad\$4 near10 software).ab. and (709/220-229.ccls. 717/120-122.ccls.) and (router\$1 gateway\$1 switch\$4 chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:28
S96	16569	(manag\$4 near10 network\$4).ab. ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:29
S97	16569	(manag\$4 near10 network\$4).ab. ti. and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:29
S98	229	(upgrad\$4 near10 software) same manag\$4 near10 network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:29
S99	96	(upgrad\$4 near10 software) same manag\$4 near10 network\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:30
S10 0	27	(upgrad\$4 near10 software) same manag\$4 near10 network\$4 and @ad<"20001010" and (709/220-229.ccls. 717/120-122, 168-171.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:32
S10 1	69	(upgrad\$4 near10 software) same manag\$4 near10 network\$4 and @ad<"20001010" and (GUI user near5 interfac\$4 UI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:39

S10 2	32	(upgrad\$4 near10 software) same manag\$4 near10 network\$4 and @ad<"20001010" and (GUI graphic\$4 near5 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:30
S10 3	1	(upgrad\$4 near10 software) same manag\$4 near10 router\$4 and @ad<"20001010" and (GUI graphic\$4 near5 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:32
S10 4	0	(updat\$4 near10 software near10 deploy\$4) same manag\$4 near10 router\$4 and @ad<"20001010" and (GUI graphic\$4 near5 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:30
S10 5	1	(updat\$4 near10 software near10 deploy\$4) same manag\$4 near10 network\$4 and @ad<"20001010" and (GUI graphic\$4 near5 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:31
S10 6	4	(updat\$4 near10 software near10 deploy\$4) same network\$4 and @ad<"20001010" and (GUI graphic\$4 near5 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:31
S10 7	33344	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:33
S10 8	2	"6691300"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:33
S10 9	293	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)) near10 deploy\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:49
S11 0	55	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)) near10 deploy\$6 and 709/220-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:50
S11 1	0	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)) same queu46 and 709/220-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:50

S11 2	58	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)) same queue\$6 and 709/220-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:51
S11 3	5742	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)).ab.ti. same queue\$6 and 709/220-229. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:51
S11 4	0	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)).ab. same queue\$6 and 709/220-229. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:51
S11 5	33344	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1))" .ti.." same queue\$6 and 709/220-229. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:51
S11 6	33344	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1))" .ti." same queue\$6 and 709/220-229. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:52
S11 7	0	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)).ti. same queue\$6 and 709/220-229. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:52
S11 8	44	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)).ti. and 709/220-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:52
S11 9	2088	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)).ti.ab. and 709/220-229.ccls. and manag\$4 near10 network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:52
S12 0	13	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)).ti. and 709/220-229.ccls. and manag\$4 near10 network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:52
S12 1	5	((updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)).ti. and 709/220-229.ccls. and queue\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:57

S12 2	13	((manag\$4 monitor\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)).ti. and 709/220-229.ccls. and queu\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:59
S12 3	549	((manag\$4 monitor\$4) near10 (updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)) and queu\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:01
S12 4	174	((manag\$4 monitor\$4) near10 (updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)) and queu\$4 and GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:05
S12 5	8	((manag\$4 monitor\$4) near10 (updat\$4 upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)) same queu\$4 and GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:01
S12 6	46	((manag\$4 monitor\$4) near10 (upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)) and queu\$4 and GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:05
S12 7	18	((manag\$4 monitor\$4) near10 (upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)) and queu\$4 and GUI and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:05
S12 8	34	((remote\$4) near10 (upgrad\$4) near10 (software\$1 firmware\$1 OS operat\$4 near5 system\$1)) and queu\$4 and GUI and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:10
S12 9	43	software near10 updat\$4 near10 queue\$1 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:13
S13 0	7772	software near10 updat\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:14
S13 1	396	S130 and (log logs logging) near10 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:15

S13 2	404	S130 and (log logs logging) near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:14
S13 3	121	S132 and 709/220-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:15
S13 4	2922	software near10 upgrad\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:15
S13 5	251	S134 and (log logs logging) near10 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:15
S13 6	78	S135 and 709/220-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:16
S13 7	1	S136 and upgrad\$4 near10 router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:17
S13 8	15	S136 and priorit\$4 near10 queu\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:29
S13 9	59	S135 and priorit\$4 near10 queu\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:29
S14 0	15	S135 and priorit\$4 near10 queu\$5not S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:30
S14 1	44	S135 and priorit\$4 near10 queu\$5 not S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:30

S14 2	17	(control controlling manage managing) near10 (deploy deployment deploys) near10 (updat\$4 upgrad\$4) near10 (software\$4 firmware\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:32
S14 3	264	(control controlling manage managing) near10 (deploy deployment deploys) near10 (software\$4 firmware\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:32
S14 4	64	(control controlling manage managing) near10 (deploy deployment deploys) near10 (software\$4 firmware\$1) and (queue queuing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:51
S14 5	203	(control controlling manage managing) near10 (updat\$4 upgrad\$4) near10 (software\$4 firmware\$1) and (queue queuing) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:37
S14 6	171	(control controlling manage managing) near10 (updat\$4 upgrad\$4) near10 (software\$4) and (queue queuing) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:38
S14 7	17	(control controlling manage managing) near10 (updat\$4 upgrad\$4) near10 (software\$4) and (queue queuing) and @ad<"20001010" and GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:45
S14 8	61	(control controlling manage managing) near10 (updat\$4 upgrad\$4) near10 (firmware\$4 operat\$4 near5 system\$1 OS code\$4) and @ad<"20001010" and GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:47
S14 9	191	709/220-225.ccls. and 710/8-14. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:50
S15 0	4	709/220-225.ccls. and 710/301. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:48
S15 1	1	709/220-225.ccls. and 710/8-14. ccls. and (upgrad\$4 near10 software) near10 network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:50

S15 2	7	709/220-225.ccls. and 710/8-14. ccls. and (upgrad\$4 near10 software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:50
S15 3	21	(monitor\$4) near10 (deploy deployment deploys) near10 (software\$4 firmware\$1) and (queue queuing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:53
S15 4	144	(monitor\$4) near10 (updat\$4 upgrad\$4) near10 (software\$4 firmware\$1) and (queue queuing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:53
S15 5	920	(monitor\$4) near10 (updat\$4 upgrad\$4) near10 (software\$4 firmware\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:53
S15 6	67	(monitor\$4) near10 (updat\$4 upgrad\$4) near10 (software\$4 firmware\$1) and (queue queuing) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:57
S15 7	0	edit\$4 near10 queue\$4 near10 (updat\$4 upgrad\$4) near10 (software application\$1 OS) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:58
S15 8	0	edit\$4 near10 queue\$4 near10 (deploy48) near10 (software application\$1 OS) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:58
S15 9	0	edit\$4 near10 queu\$4 near10 (deploy48) near10 (software application\$1 OS) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:58
S16 0	0	edit\$4 near10 queu\$4 near10 (deploy\$8) near10 (software application\$1 OS) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:58
S16 1	12	edit\$4 near10 (deploy\$8) near10 (software application\$1 OS) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 17:02

S16 2	5	edit\$4 near10 (upgrad\$4) near10 (software OS) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 17:05
S16 3	44	dial\$4 near10 platform\$4 and 709/220-225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 17:06
S16 4	25	dial\$4 near10 platform\$4 and 709/220-225.ccls. and (upgrad\$4 deploy deployment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 17:13
S16 5	10	upgrad\$4 near10 software near10 (chassis card\$1) and 709/220-226. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 17:16
S16 6	0	edit\$4 near10 order\$4 near10 upgrad\$4 near10 (perform\$4 execut\$4 deploy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 17:17
S16 7	3	edit\$4 near10 order\$4 near10 upgrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 17:19
S16 8	17	edit\$4 near10 upgrad\$4 near10 software\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:16
S16 9	0	queu\$4 near10 upgrad\$4 near10 software\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:41
S17 0	330	order\$4 near10 upgrad\$4 near10 software\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:17
S17 1	243	709/220-226.ccls. and 717/168-178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:17

S17 2	0	FIFO near10 upgrad\$4 near10 software\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:17
S17 3	65	709/220-226.ccls. and 717/168-178.ccls. and @ad<"20001010" and upgrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:19
S17 4	3	709/220-226.ccls. and 717/168-178.ccls. and @ad<"20001010" and edit\$4 near10 upgrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:18
S17 5	38	709/220-226.ccls. and 717/168-178.ccls. and @ad<"20001010" and control\$6 near10 (updat\$4 upgrad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:20
S17 6	1	"5742829".PN.	USPAT; USOCR	OR	OFF	2005/03/08 09:11
S17 7	1	"5654901".PN.	USPAT; USOCR	OR	OFF	2005/03/08 09:12
S17 8	3	"6289511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:14
S17 9	7152	control\$4 near10 load\$4 near10 software\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:14
S18 0	7	control\$4 near10 load\$4 near10 software\$4 and S171	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:24
S18 1	6	control\$4 near10 order\$4 near10 software\$4 and S171	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:36
S18 2	1	control\$4 near10 queu\$6 near10 upgrad\$4 and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:38

S18 3	2	queu\$6 near10 upgrad\$4 and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:39
S18 4	159	queu\$6 near10 config\$8 and 709/220-223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:39
S18 5	65	S173	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:39
S18 6	306	queu\$6 near10 config\$8 and 709/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:39
S18 7	140	queu\$6 near10 config\$8 and 709/220-226.ccls. and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:40
S18 8	0	edit\$4 near10 queu\$4 near10 upgrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:43
S18 9	3	edit\$4 near10 order\$4 near10 upgrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:43
S19 0	34	edit\$4 near10 order\$4 near10 queu\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:44
S19 1	0	edit\$4 near10 order\$4 near10 queu\$6 and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:44
S19 2	2	edit\$4 near10 order\$4 near10 queu\$6 and 709/220-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:44

S19 3	0	edit\$4 near10 schedul\$6 near10 upgrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:46
S19 4	29	control\$4 near10 schedul\$6 near10 upgrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:47
S19 5	688	control\$4 near10 schedul\$6 and (717/168-178.ccls. 709/220-226. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:50
S19 6	3	control\$4 near10 schedul\$6 near10 upload\$4 and (717/168-178.ccls. 709/220-226. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:50
S19 7	249	control\$4 near10 deploy\$6 and (717/168-178.ccls. 709/220-226. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:52
S19 8	4	control\$4 near10 deploy\$6 near10 schedul\$6 and (717/168-178.ccls. 709/220-226.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 10:27
S19 9	4	control\$4 near10 deploy\$6 near10 upgrad\$4 and (717/168-178.ccls. 709/220-226.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:02
S20 0	4	queu\$4 near10 upgrad\$4 and (717/168-178.ccls. 709/220-226. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:03
S20 1	7	updat\$\$\$4 near10 schedul\$4 near10 upgrad\$4 and (717/168-178.ccls. 709/220-226. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:04
S20 2	5	control\$4 near10 schedul\$4 near10 upgrad\$4 and (717/168-178.ccls. 709/220-226. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:05

S20 3	21	control\$4 near10 schedul\$4 near10 maintenance and (717/168-178.ccls. 709/220-226. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:06
S20 4	22	(upgrad\$4 updat\$4) near10 schedul\$4 near10 maintenance and (717/168-178.ccls. 709/220-226.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:09
S20 5	1	(upgrad\$4 updat\$4) near10 queu\$4 near10 maintenance and (717/168-178.ccls. 709/220-226. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:10
S20 6	15	queu\$4 near10 maintenance and (717/168-178.ccls. 709/220-226. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:12
S20 7	36	upgrad\$4 near10 (software firmware\$1) near10 (switch\$4 router\$1) and (717/168-178.ccls. 709/220-226.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:20
S20 8	1	"6209033".PN.	USPAT; USOCR	OR	OFF	2005/03/08 13:16
S20 9	1	"6122664".PN.	USPAT; USOCR	OR	OFF	2005/03/08 13:17
S21 0	1	"6122664".PN.	USPAT; USOCR	OR	OFF	2005/03/08 13:17
S21 1	1	"6012152".PN.	USPAT; USOCR	OR	OFF	2005/03/08 13:17
S21 2	1	"5958009".PN.	USPAT; USOCR	OR	OFF	2005/03/08 13:18
S21 3	1	"5713075".PN.	USPAT; USOCR	OR	OFF	2005/03/08 13:18
S21 4	1	"5822586".PN.	USPAT; USOCR	OR	OFF	2005/03/08 13:18
S21 5	4	administrat\$4 near10 schedul\$4 near10 upgrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:21
S21 6	31	user\$4 near10 schedul\$4 near10 upgrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:31

S21 7	376	user\$4 near10 upgrad\$4 near10 (web internet browser\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:33
S21 8	41	(user\$4 near10 upgrad\$4 near10 (web internet browser\$1)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:33
S21 9	2	(user\$4 near10 upgrad\$4 near10 (web internet browser\$1)).ab. and 709/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:37
S22 0	0	(user\$4 near10 upgrad\$4 near10 (web internet browser\$1)).ab. and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:37
S22 1	110	user\$4 near10 upgrad\$4 near10 (browser\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:37
S22 2	13	user\$4 near10 upgrad\$4 near10 software near10(browser\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:40
S22 3	10	"6360255"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:48
S22 4	68	software near5 (upgrad\$4 patch\$4 updat\$4) near10 order\$4 near10 download\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:49
S22 5	0	software near5 (upgrad\$4 patch\$4 updat\$4) near10 order\$4 near10 download\$4 near10 edit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:49
S22 6	0	software near5 (upgrad\$4 patch\$4 updat\$4) near10 order\$4 near10 download\$4 near10 move	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:50

S22 7	65	software near5 (upgrad\$4 patch\$4 updat\$4) near10 priorit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:50
S22 8	23	software near5 (upgrad\$4 patch\$4 updat\$4) near10 priorit\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:52
S22 9	50	software near5 (upgrad\$4 patch\$4 updat\$4) near10 critical\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:22
S23 0	24	software near10 queu\$4 near10 modif\$6 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:22
S23 1	29	software near10 queu\$4 near10 modif\$7 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:22
S23 2	0	software near10 queu\$4 near10 modif\$7 same upgrad\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:23
S23 3	1	software near10 queu\$4 near10 modif\$7 and @ad<"20001010" and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:23
S23 4	5	software near10 queu\$4 near10 modif\$7 and @ad<"20001010" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:23
S23 5	0	upgrad\$ near10 queu\$4 near10 modif\$7 and @ad<"20001010" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:23
S23 6	0	upgrad\$4 near10 queu\$4 near10 modif\$7 and @ad<"20001010" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:24

S23 7	14	updat\$4 near10 queu\$4 near10 modif\$7 and @ad<"20001010" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:24
S23 8	92	updat\$4 near10 (list\$4 order\$4) near10 modif\$7 and @ad<"20001010" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:26
S23 9	449227	(download\$4 updat\$4 upgrad\$4) ASSIGN\$4 NEAR10 priorit\$4 and @ad<"20001010" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:26
S24 0	24	(download\$4 updat\$4 upgrad\$4) near10 ASSIGN\$4 NEAR10 priorit\$4 and @ad<"20001010" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:26
S24 1	11	(download\$4 updat\$4 upgrad\$4) near10 ASSIGN\$4 NEAR10 priorit\$4 and @ad<"20001010" and 709/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:50
S24 2	5	(updat\$4 upgrad\$4) near10 ASSIGN\$4 NEAR10 priorit\$4 and @ad<"20001010" and 709/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:51
S24 3	0	(upgrad\$4) near10 ASSIGN\$4 NEAR10 urgen\$6 and @ad<"20001010" and 709/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:51
S24 4	0	(upgrad\$4) near10 ASSIGN\$4 NEAR10 urgen\$6 and @ad<"20001010" and "717"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:52
S24 5	4491	(deploy\$6) near10 ASSIGN\$4 NEAR10 priorit\$4and @ad<"20001010" and "717"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:52
S24 6	0	(deploy\$6) near10 ASSIGN\$4 NEAR10 priorit\$4 and @ad<"20001010" and "717"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:54

S24 7	0	(deploy\$6) near10 (upgrad\$4 updat\$4 patch\$4 software\$1 OS operat\$4 near5 system\$1) NEAR10 priorit\$4 and @ad<"20001010" and "717"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:56
S24 8	1	(deploy\$6) near10 (upgrad\$4 updat\$4 patch\$4 software\$1 OS operat\$4 near5 system\$1) NEAR10 priorit\$4 and @ad<"20001010" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:02
S24 9	2	edit\$4 near10 execut\$4 near10 queue\$4 and @ad<"20001010" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:07
S25 0	2	edit\$4 near10 execut\$4 near10 queue\$4 and @ad<"20001010" and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:07
S25 1	14	edit\$4 near10 execut\$4 near10 order\$4 and @ad<"20001010" and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:10
S25 2	0	edit\$4 near10 execut\$4 near10 order\$4 and @ad<"20001010" and "717"/168-178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:08
S25 3	5	edit\$4 near10 execut\$4 near10 order\$4 and @ad<"20001010" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:08
S25 4	24742	software near10 (upgrad\$4 updat\$4 deploy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:11
S25 5	14	software near10 (upgrad\$4 updat\$4 deploy\$4) and edit\$4 near10 execut\$4 near10 order\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:19

S25 6	181	software near10 (upgrad\$4 updat\$4 deploy\$4) and edit\$4 near10 schedul\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:19
S25 7	93	software near10 (upgrad\$4 updat\$4 deploy\$4) and edit\$4 near10 schedul\$4 and @AD<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:19
S25 8	3	software near10 (upgrad\$4 updat\$4 deploy\$4) same edit\$4 near10 schedul\$4 and @AD<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:20
S25 9	10	software near10 (upgrad\$4 updat\$4) same modif\$8 near10 schedul\$4 and @AD<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:20
S26 0	42	software near10 (upgrad\$4 updat\$4) and (user\$1 administrat\$4) near10 modif\$8 near10 schedul\$4 and @AD<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:21
S26 1	8	software near10 (upgrad\$4 updat\$4) and (user\$1 administrat\$4) near10 modif\$8 near10 schedul\$4 and @AD<"20001010" and (709/220-226.ccls. "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:23
S26 2	3684	software near10 (upgrad\$4 updat\$4).ab.ti. and (user\$1 administrat\$4) near10 modif\$8 near10 schedul\$4 and @AD<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:23
S26 3	6	software near10 (upgrad\$4 updat\$4).ab. and (user\$1 administrat\$4) near10 modif\$8 near10 schedul\$4 and @AD<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:27
S26 4	31	software near10 (upgrad\$4 updat\$4).ab. and (user\$1 administrat\$4) near10 schedul\$4 and @AD<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:32
S26 5	53	"5933647"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 15:32

S26 6	38	"5933647" and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 07:56
S26 7	144	software near10 (updat\$4 upgrad\$4 deploy\$4).ab. and log\$4 near5 server\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:39
S26 8	39	software near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6).ab. and log\$4 near5 server\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:37
S26 9	39	(software near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6)).ab. and log\$4 near5 server\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 07:58
S27 0	2718	software near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and priorit\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:37
S27 1	654	software near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and priorit\$4 and @ad<"20001010" and ("717"/\$.ccls. "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:37
S27 2	281	software near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and priorit\$4 and @ad<"20001010" and ("717"/168-178.ccls. "709"/220-226.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:38
S27 3	32	software near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6).ab. and priorit\$4 and @ad<"20001010" and ("717"/168-178.ccls. "709"/220-226.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:41
S27 4	42	software near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) same high\$4 near10 priorit\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:04
S27 5	6	software near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) same high\$4 near10 priorit\$4 and @ad<"20001010" and ("709"/\$. ccls. "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:05

S27 6	319	software near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and high\$4 near10 priorit\$4 and @ad<"20001010" and ("709"/\$. ccls. "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:05
S27 7	109	software near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and high\$4 near10 priorit\$4 and @ad<"20001010" and ("709"/220-223.ccls. "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:06
S27 8	14	software near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and high\$4 near10 priorit\$4 near10 (number\$4 quantit\$4) and @ad<"20001010" and ("709"/220-223.ccls. "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:08
S27 9	19	software near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) same priorit\$4 and @ad<"20001010" and ("709"/220-223.ccls. "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:16
S28 0	0	chassis\$4 near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) same priorit\$4 and @ad<"20001010" and ("709"/220-223.ccls. "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:16
S28 1	0	chassis\$4 near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) same priorit\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:18
S28 2	386	chassis\$4 near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:18
S28 3	4	chassis\$4 near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and @ad<"20001010" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:40
S28 4	2473	priorit\$4 near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:40
S28 5	77	priorit\$4 near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and @ad<"20001010" and 709/220-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:40

S28 6	3	priorit\$4 near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) near10 number\$4 and @ad<"20001010" and 709/220-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:44
S28 7	77	priorit\$4 near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and @ad<"20001010" and 709/220-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:45
S28 8	77	priorit\$4 near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and @ad<"20001010" and (709/220-229.ccls. 717/168/178. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:45
S28 9	86	priorit\$4 near10 (updat\$4 upgrad\$4 deploy\$4 retrofit\$6) and @ad<"20001010" and (709/220-229.ccls. 717/168-178. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:45
S29 0	11	priorit\$4 near10 (upgrad\$4 deploy\$4 retrofit\$6) and @ad<"20001010" and (709/220-229.ccls. 717/168-178. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:16
S29 1	0	priorit\$4 near10 (upgrad\$4 deploy\$4 retrofit\$6).ab. and @ad<"20001010" and (709/220-229.ccls. 717/168-178. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:45
S29 2	8	"6117188"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:52
S29 3	2999	select\$4 near10 (devic\$4 router\$4 switch\$4 chassis\$4 client\$4) near10 priorit\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:17
S29 4	2178	determin\$6 near10 (devic\$4 router\$4 switch\$4 chassis\$4 client\$4) near10 priorit\$4 and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:18
S29 5	56	determin\$6 near10 (devic\$4 router\$4 switch\$4 chassis\$4 client\$4) near10 priorit\$4 and @ad<"20001010" and (709/220-226.ccls. 717/168-178. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:18

S29 6	8	determin\$6 near10 (devic\$4 router\$4 switch\$4 chassis\$4 client\$4) near10 priorit\$4 and @ad<"20001010" and (709/220-226.ccls. 717/168-178. ccls.) and upgrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:19
S29 7	13	software near10 (updat\$4 upgrad\$4 deploy\$4).ab. same priorit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:41
S29 8	84	software near10 (updat\$4 upgrad\$4 deploy\$4) near10 priorit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:41
S29 9	63	software near10 (updat\$4 upgrad\$4 deploy\$4) near5 priorit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:41
S30 0	19	software near10 (upgrad\$4 deploy\$4) near5 priorit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:43
S30 1	0	software near10 (upgrad\$4 deploy\$4) near5 priorit\$4 near10 (queue\$4 list\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:42
S30 2	0	software near10 (upgrad\$4 deploy\$4) near10 priorit\$4 near10 (queue\$4 list\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:42
S30 3	30	(upgrad\$4 deploy\$4) near5 priorit\$4 near10 (group\$4 network\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:47
S30 4	26	(upgrad\$4 deploy\$4) near5 priorit\$4 near10 (router\$4 switch\$4 device\$1 client\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:50
S30 5	10	717/168-178.ccls. and 718/102-103.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:09

S30 6	1	717/120,122.ccls. and 718/102-103.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:18
S30 7	2	"717"/\$.ccls. and 718/102-103. ccls. and 709/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:11
S30 8	270	"717"/\$.ccls. and "718"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:11
S30 9	17	S308 and priorit\$6 near10 (task\$4 job\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:13
S31 0	6	709/217-226.ccls. and 717/168-178.ccls. and "718"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:18
S31 1	275	709/217-226.ccls. and 717/168-178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:18
S31 2	10	717/168-178.ccls. and 718/102-103.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:30
S31 3	1	"6442754".PN.	USPAT; USOCR	OR	OFF	2005/03/09 12:19
S31 4	1	"6442684".PN.	USPAT; USOCR	OR	OFF	2005/03/09 12:19
S31 5	1	"6327706".PN.	USPAT; USOCR	OR	OFF	2005/03/09 12:19
S31 6	1	"6301708".PN.	USPAT; USOCR	OR	OFF	2005/03/09 12:19
S31 7	1	"6237144".PN.	USPAT; USOCR	OR	OFF	2005/03/09 12:20
S31 8	1	"5995757".PN.	USPAT; USOCR	OR	OFF	2005/03/09 12:21
S31 9	1	"5963743".PN.	USPAT; USOCR	OR	OFF	2005/03/09 12:21

S32 0	1	"5995757".PN.	USPAT; USOCR	OR	OFF	2005/03/09 12:21
S32 1	1	"5768566".PN.	USPAT; USOCR	OR	OFF	2005/03/09 12:21
S32 2	1	"5721824".PN.	USPAT; USOCR	OR	OFF	2005/03/09 12:22
S32 3	1	"5499357".PN.	USPAT; USOCR	OR	OFF	2005/03/09 12:22
S32 4	2	select\$4 near10 priorit\$4 near10 chassis\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:31
S32 5	22	priorit\$4 near10 chassis\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:31
S32 6	34090	priorit\$4 near10 (router\$1 switch\$4 chassis\$4 device\$1 computer\$1 client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:32
S32 7	63	priorit\$4 near10 (router\$1 switch\$4 chassis\$4 device\$1 computer\$1 client\$1) and 717/168-178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:32
S32 8	33	priorit\$4 near10 (router\$1 switch\$4 chassis\$4 device\$1 computer\$1 client\$1) and 717/168-178.ccls. and @ad<"20001010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:56
S32 9	12	(maintenanc\$4 downtime\$4) near10 (interval\$4 window\$1) near10 priorit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:58
S33 0	1	(maintenanc\$4 downtime\$4) near10 (interval\$4 window\$1) near10 (list\$4 queue\$4) near10 (job\$1 task\$1 subtask\$4) and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:00
S33 1	1	(maintenanc\$4 downtime\$4) near10 (interval\$4 window\$1) near10 (list\$4 queue\$4) near10 (job\$1 task\$1 subtask\$4) and "709"/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:01

S33 2	4	(maintenanc\$4 downtime\$4) near10 (interval\$4 window\$1) near10 (job\$1 task\$1 subtask\$4) and "709"/220-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:03
S33 3	87	709/220-226.ccls. and 715/733-735.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:03
S33 4	18	709/220-226.ccls. and 715/733-735.ccls. and queue\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:06
S33 5	0	(maintenanc\$4 downtime\$4) near10 (interval\$4 window\$1) near10 (job\$1 task\$1 subtask\$4) and 715/733-735.ccls. and queue\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:04
S33 6	0	(maintenanc\$4 downtime\$4) near10 (interval\$4 window\$1) near10 (job\$1 task\$1 subtask\$4) and 715/733-735.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:04
S33 7	3	(maintenanc\$4 downtime\$4) near10 (interval\$4 window\$1) and 715/733-735.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:05
S33 8	53	709/220-226.ccls. and 715/733-735.ccls. and (job\$1 task\$1 subtask\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:06
S33 9	15	709/220-226.ccls. and 715/733-735.ccls. and (job\$1 task\$1 subtask\$1)and maintenanc\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:06
S34 0	1	709/220-226.ccls. and 715/733-735.ccls. and (job\$1 task\$1 subtask\$1) near10 priorit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:07
S34 1	2	709/220-226.ccls. and 715/733-735.ccls. and (job\$1 task\$1 subtask\$1) near10 queue\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:07